

# The Mini- $\tau$ (Mini-tau)

Research / Q.A. / Teaching Spectrometer



The Mini-tau is an ultra-compact, low cost, filter-based dedicated fluorescence lifetime spectrometer. Using the Time-Correlated Single Photon Counting (TCSPC) technique, the Mini-tau can measure fluorescence lifetimes ranging from 25 ps to 10  $\mu$ s. It can also be equipped with Multi-Channel Scaling (MCS) electronics for long-range photoluminescence from 10 ns to 10 s.

Whether you need to measure fluorescence lifetimes or time-resolved fluorescence anisotropy for research, quality assurance or teaching applications, the Mini-tau is the ideal all-inclusive, fully-integrated solution. The Mini-tau measures fluorescence lifetimes after numerical reconvolution based on the established Marquardt-Levenberg algorithm.


The Fluoracle Software supplied with the Mini-tau has an easy-to-use interface and allows users to comprehensively record data and accurately analyse complex decay kinetics of up to 4 lifetimes.

## Mini-tau Product Features:

- A sample chamber with source and detector, PC and electronics plug-in board
- Pulsed LED or picosecond diode laser (with choice of wavelength)
- Integrated electronics with repetition rate up to 20 MHz
- Ultra-fast, blue or red sensitive single photon counting PMT
- Fluoracle Windows application software for comprehensive data acquisition and analysis

## Technical Specifications

<b>Mode of Operation</b>	Time Correlated Single Photon Counting Multi Channel Scaling (MCS)
<b>Lifetime range</b>	approx. 25 ps – 50 μs 10 ns – 10 s (MCS)
<b>Instrumental Pulse Width</b>	250 ps (in standard configuration with diode laser excitation)
<b>Excitation Wavelengths</b>	375, 405, 445, 450, 475, 485, 510, 635, 640, 655, 670, 785, 800 or 980 nm picosecond laser diode 250, 255, 260, 265, 270, 280, 290, 295, 300, 310, 320, 330, 340, 365, 380, 560, 570, 590 or 610 nm pulsed LEDs (other wavelengths or Ti: Sapphire lasers are available)
<b>Attenuation</b>	4 orders of magnitude, linear
<b>Emission Wavelength</b>	band pass filters (45 nm wide), centered at coverage: 450, 500, 550, 600 and 650 nm (other filter combinations available for detectors with broader coverage)
<b>Additional Filter</b>	standard in excitation and emission to Holders: accept 50 mm x 50 mm filters
<b>Detection</b>	single photon counting PMT (Hamamatsu) – sensitive to 650 nm – dark count rate typ.80 cps – detector response: 250 ps (detectors with coverage up to 850 nm available, cooled or un-cooled)
<b>Data Acquisition</b>	TCC2 electronics module - up to 8192 channels per curve – forward or reverse mode – minimum channel resolution 305 fs – 20 ps time jitter - TAC ranges from 2.5 ns to 50 μs in TCSPC mode. Up to 8000 channels per curve, 10 ns resolution and up to 10 MHz repetition rate in MCS mode.
<b>Data Analysis</b>	Marquardt-Levenberg Algorithm – up to 4 lifetimes – Anisotropy Calculation
<b>Dimensions</b>	265 mm (w) x 195 mm (d) x 125 mm (h) (excluding laser, detector, lid)
<b>Weight</b>	5 kg (excluding laser, detector)



### Mini-tau Options:

- MiniTau-TCSPC: Time-Correlated Single Photon Counting for fluorescence lifetimes of ~25 ps - 10 μs
- MiniTau-MCS: Multi-Channel Scaling for phosphorescence lifetimes of 10 ns - 10 s
- MiniTau-DUAL: Combines TCSPC and MCS to cover the full range of ~25 ps – 10 s

Customer support is available worldwide.

For more information contact us at [sales@edinst.com](mailto:sales@edinst.com)

or visit [www.edinst.com](http://www.edinst.com)

T: +44 (0)1506 425 300

F: +44 (0)1506 425 320

**Edinburgh Instruments**  
2 Bain Square,  
Kirkton Campus,  
Livingston,  
EH54 7DQ  
United Kingdom

**Telephone**  
+44 (0)1506 425 300  
+1-800-323-6115 (US Office)  
**Facsimile**  
+44 (0)1506 425 320

**Email**  
[sales@edinst.com](mailto:sales@edinst.com)  
[ussales@edinst.com](mailto:ussales@edinst.com) (US Office)  
**Website**  
[www.edinst.com](http://www.edinst.com)



All specifications are correct at the time of production. We reserve the right to change our specifications without notice.  
© Edinburgh Instruments Ltd. 2022.