


BFH SERIES

BAM FALL HAMMER SERIES

The BAM Fall Hammer (also known as BAM Impact Tester or BAM Drop Hammer) is designed to determine the sensitivity of explosive materials to the impact stimuli by a falling drop weight in accordance with the BAM procedure.



OZM Research manufactures four types of standard BAM Fall Hammers for measuring impact sensitivity of solid or liquid energetic materials (primary and secondary high explosives, propellants, pyrotechnics) and also other substances potentially sensitive to impact stimuli in the range of impact energies between 0.25 J and 100 J. Sensitivity of the most sensitive substances such as primary explosives or highly sensitive pyrotechnics can be measured in the range of impact energies from 0.025 J to 20 J on a specially developed BAM Fall Hammer BFH PEx.

APPLICATIONS

The sensitivity to impact stimuli is one of the most important characteristics of energetic materials defining their safety in handling, processing or transportation. Its determination is a necessary part of characterization of new explosives, modified formulations or manufacturing conditions. It is also used for defining influences of impurities or ageing, in the quality control of manufactured explosives, in surveillance of in-service explosives and in transport/storage classification of explosive materials.

ADVANTAGES & FEATURES

- ▶ Unique Drop Weight Exchange Window for safer, quicker and more convenient exchange of drop weights (BFH 12A and BFH 12 only)
- ▶ Automated Lifting Mechanism remotely executes positioning, drop and collection of Drop Weight (BFH 12A only)
- ▶ Wide range of impact energies from 0.25 J to 100 J (six drop weights from 0.25 kg to 10 kg)
- ▶ Drop weights are equipped with brass grooves to lower sliding friction
- ▶ High corrosion resistance of the critical parts
- ▶ Protective housing as a standard accessory
- ▶ Wide range of accessories




OZM Research s.r.o.

Bliznovice 32, 538 62 Hrochuv Týnec
CZECH REPUBLIC / European Union
Tel.: +420 469 692 341
Mobile: +420 608 742 777
E-mail: ozm@ozm.cz
www.ozm.cz

COMPLIANCE

OZM Research manufactures several modifications of this instrument in order to better fit different classes of explosive materials and different standards of testing, such as:


- **UN Recommendation on the Transport of Dangerous Goods, Manual of Tests and Criteria** – [Test 3(a)(ii)]
- **EN 13631-4:2002**
- **Council Regulation (EC) No 440/2008**; A.14
- **GB/T 21567-2008**
- **STANAG 4489**
- **MIL-STD-1751A**, Method 1015
- **EMTAP**, Manual of Tests, Test No 43
- **GOST 4545-88 (BFH 12R only)**



Drop Weight Exchange Window



Set of Drop Weights



Steel cylinders and guide rings

BFH 10

BAM FALL HAMMER

The **BFH 10™** is a standard BAM Fall Hammer for the customers who are looking for economic but still high-quality solution. The **BFH 10** fully complies with all relevant international standards listed above.

BFH 12

IMPROVED BAM FALL HAMMER

The **BFH 12™** is an improved version of standard BAM Fall Hammer. It is equipped with a unique Drop Weight Exchange Window for safer, quicker and more convenient exchanges of the drop weights.

BFH 12A

AUTOMATED BAM FALL HAMMER

The **BFH 12A™** is the high-end version of BAM Fall Hammer supplied by OZM Research. It has design features of the innovated **BFH 12** and furthermore it is equipped with automated remotely controlled lifting mechanism for positioning, drop and collection of the drop weight. The **BFH 12A** also introduces a unique Drop Weight Exchange Window for safer, quicker and more convenient exchanges of the drop weights.

BFH 12R

BAM FALL HAMMER GOST TYPE

The **BFH 12R™** is a modified version of the standard BAM Fall Hammer. Its design and functionality fully complies with the Russian standard GOST 4545-88. It is also equipped with a unique Drop Weight Exchange Window for safer, faster and more convenient exchanges of drop weights.



OZM Research s.r.o.

Bliznovice 32, 538 62 Hrochuv Týnec
CZECH REPUBLIC / European Union

Tel.: +420 469 692 341

Mobile: +420 608 742 777

E-mail: ozm@ozm.cz

www.ozm.cz



グローバルにネットワークを広げ、最先端の科学をお客様に提供

本 社：〒134-0088 東京都江戸川区西葛西6-18-14 T.I.ビル

Tel.03-3686-4711

営業所：〒532-0003 大阪府大阪市淀川区宮原4-1-46 新大阪北ビル

Tel.06-6393-7411

URL：<https://www.tokyoinst.co.jp> Mail：sales@tokyoinst.co.jp



超高真空・極低温走査型プローブ顕微鏡
高速分光測定装置、クライオスタット



Nd:YAGレーザー、Ti:Sレーザー
OPOLレーザー

- 本カタログに記載されている内容は、改良のため予告無く変更する場合があります。（製品の仕様、性能、価格などはカタログ発行当時のものです）
- 本カタログに記載されている内容の一部または全部を無断で転載することは禁止されております。
- 本カタログに記載されているメーカー名、製品名などは各社の商標または登録商標です。